15th December 1961]

SRI K. VINAYAKAM : Sir, on the pretext of common script for all Indian languages towards national integration was a decision taken to adopt Devanagari script in the Chief Ministers' Conference? If so, what is the attitude of our Government towards that kind of decision? What are the steps taken by the Government to avert that kind of language debacle?

THE HON. SRI C. SUBRAMANIAM : No decision was taken that Devanagari should be the common script for all languages in India. A point of view was expressed and that point of view found a place in the communique issued with regard to the conference of the Chief Ministers. But even with reference to that point of view, we have made it clear to the Government of India that there is no question of adopting Devanagari script for any of the purposes for which we are using our own script in the Tamil language.

Dispensaries

* 2413 *Q.*—SRI M. S. SELVARAJAN : Will the Hon. the Minister for Revenue be pleased to state—

(*a*) which are the dispensaries upgraded into hospitals so far in 1961 in Tirunelveli district; and

(*b*) which are proposed to be upgraded before 31st March 1962?

THE HON. SRI M. A. MANICKAVELU : (*a*) The Local Fund Dispensaries at Ottapidaran, Sattankulam and Melakudiyiruppi have been transferred to Government management with effect from 13–4–1961 and they have been ordered to be styled as Government Hospitals.

(*b*) None, Sir.

SRI M. S. SELVARAJAN : Sir, on what basis these dispensaries have been handed over to Government? Is it not a fact that some other dispensaries were also recommended to be taken over by the Government just like Kayalpatnam, Kadayanallur, etc.?

THE HON. SRI M. A. MANICKAVELU : Government cannot take the responsibility all at once of all the local fund dispensaries. As and when necessary and funds are available, these institutions will be progressively taken over.

Breaches (Srivaikuntam anicut)

* 2414 *Q.*—SRI M. S. SELVARAJAN : Will the Hon. the Minister for Works be pleased to state the arrangements made for the strengthening of the southern bank of the Tambarabarni below Srivaikuntam anicut for preventing breaches?

THE HON. SRI P. KAKKAN : An estimate for Rs. 1,080 for strengthening the southern bank of Tambarabarni river at 13/7 to 14/0 has been sanctioned and the work completed. Another estimate for Rs. 9,700 to improve the bank with proper revetment

[15th December 1961

etc., at M. 6/1 to M. 6/3 has been sanctioned and work is in full swing. An estimate amounting to Rs. 49,000 for carrying out improvements in the reach M 6/3 to 6/5 is under scrutiny by the Executive Engineer. The work will be taken up after the estimate has been sanctioned.

Sri M. S. SELVARAJAN : ஸார், தாம்பரபரணியில் ஸ்ரீவைகுண்டம் அணைக்கட்டுக்குக் கீழே எதன் பகுதி கரையில், முன்பு உடைப்பு எடுத்திருந்த இடங்களாகிய சேந்தமங்கலம், குரங்கணி பகுதிகளில் என்ன ஏற்பாடுகள் இப்பொழுது செய்யப் பட்டிருக்கிறது.

The Hon. Sri P. KAKKAN : அந்தத் தகவல் இப்பொழுது என்னிடம் இல்லை.

Periyar lake

*** 2415 *Q*.—Sri N. R. THIAGARAJAN :** கனம் பொது மராமத்து அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விகளுக்குப் பதிலளிப்பாரா—

(அ) மதுரை ஜில்லா பெரியாறு ஏரியில் 1961-ம் வருஷம் ஜூன் மாதம் 1-ம் தேதி முதல் 1961-ம் வருஷம் ஜூலை மாதம் 23-ம் தேதி வரை ஒவ்வொரு நாளிலும் இருந்த நீர்மட்டம் எவ்வளவு?

(இ) பெரியாறு டன்னல் (குகைப்பாதை) வழியாக சாதாரண நாட்களில் எவ்வளவு தண்ணீர் விடப்படுகிறது?

(உ) ஏரி நிறைந்த பின்னரும், ஏரி நிறைவதற்கு ஒரு வாரத்திற்கு முன்பும், சராசரி தினமும் எவ்வளவு தண்ணீர் மதுரை, ராமநாதபுரம் ஜில்லாக்களுக்கு விடப்பட்டது?

The Hon. Sri P. KAKKAN : (அ) to (உ) A statement [a] is placed on the table of the House.

Sri N. R. THIAGARAJAN : அந்த டன்னலில் 4,000 க்யூசெக்ஸ் திறந்து விடப்படுவதாகச் சொல்லப்படுகிறது. அந்த டன்னலில் நானும் மின்சார அமைச்சரும் போய்ப் பார்த்தோம். அதன் வழியாகவே நாங்கள் சென்றோம். அப்படி 4,000 க்யூசெக்ஸ் விடலாம் என்றும் கண்டோம். வீணாக சமுத்திரத்தில் விழக்கூடிய தண்ணீரை அப்படி அந்த டன்னல் வழியாக விட்டால் அந்தப் பக்கத்திலுள்ள மதுரை ராமநாதபுரம் பகுதிகளுக்கு திறந்து விட்டால் சௌகர்யமாக இருக்கும் அல்லவா? அதைப் பற்றி அரசாங்கம் யோசனை செய்யுமா?

The Hon. Sri P. KAKKAN : மழைத் தண்ணீரும் மற்ற தண்ணீரும் சமுத்திரத்திற்குப் போகக்கூடாது என்பதுதான் அரசாங்கத்தினுடைய நோக்கமும். அதனால் எவ்வளவு தண்ணீர் விடவேண்டுமோ அந்த அளவில் விடப்பட்டு வருகிறது. மின்சார உற்பத்திக்கு எவ்வளவு விடவேண்டுமோ அவ்வளவு விட்டுக் கொண்டுதான் வரப்படுகிறது. அதற்குக் குறைவாக வேண்டுமென்றால் குறைவாகவும், அதிகமாக வேண்டுமானால் அதிகமாகவும்

[a] Printed as Appendix XIV on page 1112 infra.